

**IN THE CLAIMS:**

Please amend claims 31- as follows.

Claims 1-30. (Cancelled)

31. (Currently Amended) ~~A method of transmitting complex symbols using a transmission code matrix, said method,~~ comprising:

[[~~-~~]]constructing ~~said~~ a transmission code matrix, and

[[~~-~~]]transmitting said transmission code matrix, at least partially in parallel, using substantially orthogonal signaling resources and at least three different transmit antenna paths,

wherein said transmission code matrix can be expressed as being constructed using at least two transformed transmit diversity code matrices,

wherein ~~both~~ the two matrix dimensions of said transmission code matrix are greater than the corresponding matrix dimensions of said transformed transmit diversity code matrices,

wherein said transformed transmit diversity code matrices can be expressed as being constructed by transforming at least two transmit diversity code matrices using linear transformations, and

wherein said transmit diversity code matrices, at least one of which is of dimension greater than one, can be expressed as being formed by modulating at least two

at least partially different streams of complex symbols that are obtainable from a single stream of complex symbols by conversion.

32. (Currently Amended) The method of ~~Claim~~ claim 31, wherein constructing said transmission code matrix comprises:

[[~~-~~]]converting a stream of complex symbols to at least two at least partially different streams of complex symbols;

[[~~-~~]]modulating said at least two streams of complex symbols to form at least two transmit diversity code matrices, at least one of which is of dimension greater than one;

[[~~-~~]]transforming said transmit diversity code matrices using linear transformations, to construct said at least two transformed transmit diversity code matrices; and

[[~~-~~]]constructing-a said transmission code matrix comprises using said at least two transformed transmit diversity code matrices.

33. (Currently Amended) The method of ~~Claim~~ claim 31, wherein at least one of the linear transformations is different from an identity transformation.

34. (Currently Amended) The method of ~~Claim~~ claim 31, wherein the at least two transmit diversity code matrices are orthogonal transmit diversity code matrices.

Claim 35. (Cancelled)

36. (Currently Amended) The method of ~~Claim~~claim 31, wherein the transmission code matrix can be expressed as being constructed from the transformed transmit diversity code matrices using the method of embedding a lower-dimensional matrix into a higher-dimensional one.

37. (Currently Amended) The method of ~~Claim~~claim 31, wherein the transmission code matrix can be expressed as being constructed from the transformed transmit diversity code matrices using at least one of the methods of repetition, negation, conjugation, permutation, multiplying with a matrix.

38. (Currently Amended) The method of ~~Claim~~claim 31, wherein the first transformed transmit diversity code matrix can be expressed as being constructed by summing two transmit diversity code matrices, and the at least the second transformed transmit diversity code matrix can be expressed as being constructed by subtracting the said two transmit diversity code matrices.

39. (Currently Amended) The method of ~~Claim~~Claim 34, wherein the symbol rate of the transmission code matrix is the same as an average symbol rate of the

orthogonal transmit diversity code matrices to which the linear transformations are applied.

40. (Currently Amended) The method of ~~Claim~~claim 31, wherein the transmission code matrix extends over T substantially orthogonal signaling resources, and wherein more than T complex symbols are used to construct the transmission code matrix, wherein T is equal to at least one.

41. (Currently Amended) The method of ~~Claim~~claim 31, wherein said conversion comprises a serial-to-parallel conversion.

42. (Currently Amended) The method of ~~Claim~~claim 31, wherein said conversion comprises a rotation unit.

43. (Currently Amended) The method of ~~Claim~~claim 42, wherein the rotation unit is a symbol rotation matrix that differs from an identity matrix, and contains at least two zero-elements.

44. (Currently Amended) The method of ~~Claim~~claim 42, wherein the rotation unit is a symbol rotation matrix that is formed as Kronecker product of two unitary matrices, where at least one is different from an identity matrix.

45. (Currently Amended) The method of ~~Claim~~ claim 43, wherein the symbol rotation matrix is a diagonal matrix, where at least one diagonal element is a complex number.

46. (Currently Amended) The method of ~~Claim~~ claim 40, wherein at least two transformed transmit diversity code matrices are transmitted in parallel, and wherein the at least two transformed transmit diversity code matrices contain at least partially different symbols.

47. (Currently Amended) The method of ~~Claim~~ claim 40, wherein a part of the symbols are transmitted on a block-diagonal sub-matrix within the transmission code matrix, and at least partly different symbols are transmitted on an anti-block-diagonal sub-matrix within the transmission code matrix.

48. (Currently Amended) The method of ~~Claim~~ claim 40, wherein there are four substreams and wherein each substream is modulated to form an orthogonal  $2 \times 2$  transmit diversity code matrix incorporating two complex symbols, and wherein the transmission code matrix extends over at least four substantially orthogonal signaling resources.

49. (Currently Amended) The method of ~~Claim~~ claim 31, wherein at least one transmit diversity code matrix has a different symbol rate than another transmit diversity code matrix.

50. (Currently Amended) The method of ~~Claim~~ claim 31, wherein at least one transmit diversity code matrix has different dimensions than another transmit diversity code matrix.

51. (Currently Amended) The method of ~~Claim~~ claim 31, wherein at least one transmit diversity code matrix is transmitted with different power than another transmit diversity code matrix.

52. (Currently Amended) The method of ~~Claim~~ claim 31, wherein the substantially orthogonal signaling resources include at least one of the following: non-overlapping time slots, different spreading codes, different OFDM subcarriers, different wavelet waveforms and different FDMA channels.

53. (Currently Amended) An apparatus ~~for transmitting complex symbols using a transmission code matrix, said apparatus,~~ comprising:

[[~~-~~]] ~~components which are~~ a processor configured to construct a transmission code matrix out of complex symbols; and

[[~~-~~]]a transmission unit configured to transmit said transmission code matrix, at least partially in parallel, using substantially orthogonal signaling resources and at least three different transmit antenna paths,

wherein said transmission code matrix can be expressed as being constructed using at least two transformed transmit diversity code matrices,

wherein~~both~~ the two matrix dimensions of said transmission code matrix are greater than the corresponding matrix dimensions of said transformed transmit diversity code matrices,

wherein said transformed transmit diversity code matrices can be expressed as being constructed by transforming at least two transmit diversity code matrices using linear transformations, and

wherein said transmit diversity code matrices, at least one of which is of dimension greater than one, can be expressed as being formed by modulating at least two at least partially different streams of complex symbols that are obtainable from a single stream of complex symbols by conversion.

54. (Currently Amended) The apparatus of ~~Claim~~ claim 53, wherein said components configured to construct a transmission code matrix comprise:

[[~~-~~]]a~~conversion unit~~ converter configured to convert a stream of complex symbols to at least two at least partially different streams of complex symbols;

~~[[ - ]]a modulating unit~~ modulator configured to modulate said at least two streams of complex symbols to form at least two transmit diversity code matrices, at least one of which is of dimension greater than one;

~~[[ - ]]a transforming unit~~ transformer configured to transform said transmit diversity code matrices using linear transformations, to construct said at least two transformed transmit diversity code matrices; and

~~[[ - ]]a code constructing unit~~ constructor configured to construct a transmission code matrix using said at least two transformed transmit diversity code matrices.

55. (Currently Amended) The apparatus of ~~Claim~~ claim 54, wherein at least one of the linear transformations is different from an identity transformation

56. (Currently Amended) The apparatus of ~~Claim~~ claim 54, wherein the at least two transmit diversity code matrices are orthogonal code matrices.

57. (Currently Amended) A system ~~comprising a transmitter for transmitting complex symbols using a transmission code matrix, and a receiver for receiving transmitted complex symbols, said transmitter,~~ comprising:

~~[[ - ]]components~~ a processor configured to construct a transmission code matrix out of complex symbols, and



~~[[ - ]]~~a ~~transmission unit~~ transmitter configured to transmit said transmission code matrix, at least partially in parallel, using substantially orthogonal signalling resources and at least three different transmit antenna paths,

wherein said transmission code matrix can be expressed as being constructed using at least two transformed transmit diversity code matrices,

wherein ~~both~~ the two matrix dimensions of said transmission code matrix are greater than the corresponding matrix dimensions of said transformed transmit diversity code matrices,

wherein said transformed transmit diversity code matrices can be expressed as being constructed by transforming at least two transmit diversity code matrices using linear transformations, and

wherein said transmit diversity code matrices, at least one of which is of dimension greater than one, can be expressed as being formed by modulating at least two at least partially different streams of complex symbols that are obtainable from a single stream of complex symbols by conversion.

Claims 58-72. (Cancelled )

73. (Currently Amended) The method of ~~Claim claim~~ 31, wherein said transmission code matrix can be expressed as being constructed using two transformed

transmit diversity code matrices residing on the block-diagonal of said transmission code matrix,

wherein one of said transformed transmit diversity code matrices can be expressed as being constructed as a sum of two transmit diversity code matrices, and wherein the other transformed transmit diversity code matrix can be expressed as being constructed as a difference of said two transmit diversity code matrices,

and wherein said two transmit diversity code matrices can be expressed as being formed by modulating two different streams of complex symbols that are obtainable from a single stream of complex symbols.

74. (Currently Amended) The apparatus of ~~Claim~~ claim 53, wherein said transmission code matrix can be expressed as being constructed using two transformed transmit diversity code matrices residing on the block-diagonal of said transmission code matrix,

wherein one of said transformed transmit diversity code matrices can be expressed as being constructed as a sum of two transmit diversity code matrices, and wherein the other transformed transmit diversity code matrix can be expressed as being constructed as a difference of said two transmit diversity code matrices,

and wherein said two transmit diversity code matrices can be expressed as being formed by modulating two different streams of complex symbols that are obtainable from a single stream of complex symbols.

75. (Currently Amended) The system of ~~Claim~~ claim 57, wherein said transmission code matrix can be expressed as being constructed using two transformed transmit diversity code matrices residing on the block-diagonal of said transmission code matrix,

wherein one of said transformed transmit diversity code matrices can be expressed as being constructed as a sum of two transmit diversity code matrices, and wherein the other transformed transmit diversity code matrix can be expressed as being constructed as a difference of said two transmit diversity code matrices,

and wherein said two transmit diversity code matrices can be expressed as being formed by modulating two different streams of complex symbols that are obtainable from a single stream of complex symbols.